

Summary

QRS, Inc. will be testing PARADIGM[®] 17.

Overall, we expect the Real World Testing will spotlight areas where our EHR application performs as expected, specifically demonstrates compliance to certification requirement standards for interoperability and functionality, and reveals areas where improvement(s) are merited.

Moreover, the data from the Real World Testing will help serve as a baseline for future testing. This testing serves as both a vehicle to record and benchmark current functionality and usability.

Please use the 'Table of Contents' below for document navigation. Links are provided for easy access to the sections cited.

Table of Contents

- General Information ∞
- Justification for Real World Testing Approach ∞
- Testing Method(s)/Methodology(ies) ∞
- Care Setting(s) ∞
- Standards Updates ∞
- Applicable Certification Criteria ∞
- Measures Used in Overall Approach ∞
- Schedule of Key Milestones ∞
- Attestation ∞

General Information

Plan Report ID Number	20211021PARA
Developer Name	QRS, Inc.
Product Name	PARADIGM®
Version Number	17
Certified Health IT Product List CHPL ID	15.04.04.2838.PARA.17.00.1.171228
Developer Real World Testing Page URL	http://www.qrshs.info



Justification for Real World Testing Approach

QRS, Inc. plans to test PARADIGM[®] EHR Version 17.

PARADIGM[®] EHR was developed, designed and markets to healthcare providers in ambulatory care settings spanning various medical specialties. We understand providers over various specialties have usage and clinical documentation needs unique to their own professional/specialty/patient base setting. Accordingly, we expect different specialties will present diverse measurement results.

Deciding factors for participant selection will be a combination of historical usage, scope of practice specialty, utilization of specific functionality, connections to immunization registries, public health agencies and authorized client representative permission to participate in the testing.

All testing will be performed on the client's server and/or workstation. Each client testing site participant will be informed of the type of information that will be accessed/captured from their system for testing purposes.

We expect data collection will occur without end-user interposition. This includes screen capture and/or report generation performed by the tester. Testing requiring interaction (observation) between the tester and end-user will be recorded. Recordings will be stored only at QRS, Inc. and destroyed after the testing process is deemed complete. Where applicable, the number of errors will be recorded and error rates calculated.

Where possible, we will use test patients. Real patient information will be de-identified.

We plan to utilize an appropriate validator in situations where we are unable to communicate with entities receiving a file (e.g., C-CDA validator, HL7 validator).

The QRS, Inc. team plans to review the data collected as well as feedback from testers and participating testing sites to identify areas of improvement for subsequent Real World Testing.



Testing Method(s)/Methodology(ies)

The following methodologies will be utilized during testing.

Log Files / Reports

• QRS, Inc. tester(s) will evaluate applicable audit logs and reports for historical activity as well as items that might not require proximate user intervention.

Polling

• End-users will be asked, based on the measure, if they use the functionality, how often and provide feedback regarding the usability.

Sandbox

• QRS' in-house virtualized environment

Scenario Testing

- Test cases will be used to evaluate end-to-end functioning of the program QRS, Inc. will evaluate how often the feature is used (numeric value) and the compliance (proper use / outcome).
 - System scenarios Use-case scenarios Role-based scenarios

Visual Inspection

• QRS, Inc. tester(s) will perform visual inspection to verify data is present, accurate and when applicable human readable. This method will also be used if negative testing is involved.

Care Setting(s)

PARADIGM[®] EHR is principally marketed to healthcare providers in ambulatory care settings. Accordingly, our testing will occur in the ambulatory setting only.

We plan to test a minimum of three client practices. The number of client testing participants included may vary for each criterion/measure as we recognize not all have the same usage needs or perform the same activities in their respective specialty settings.

In settings where functionality is not widely used, we plan to utilize our sandbox environment for testing solely when needed, or in addition to client sites.

Standards Updates (Including Standards Version Advancement Process (SVAP) and United States Core Data for Interoperability (USCDII)

Standard – Version	N/A
Updated Certification criteria and associated product	N/A
CHPL ID	N/A
Method used for standard	N/A
Date of ONC-ACB notification	N/A
Conformance measure	N/A
USCDI criteria – USCDI version	N/A

Applicable Certification Criteria

This plan includes real world testing measurements/metrics for the following criteria:

- 170.315(b)(1) Transitions of Care
- 170.315(b)(2) Clinical information reconciliation and incorporation
- 170.315(b)(6) Data Export
- 170.315(b)(7) Security Tags Summary of Care Send
- 170.315(b)(8) Security Tags Summary of Care Receive
- 170.315(c)(1) Clinical quality measures (CQMs) record and export
- 170.315(c)(2) Clinical quality measures (CQMs) import and calculate
- 170.315(c)(3) Clinical quality measures (CQMs) report
- 170.315(e)(1) View, download, and transmit to 3rd party
- 170.315(f)(1) Transmission to immunization registries
- 170.315(f)(2) Transmission to public health agencies syndromic surveillance
- 170.315(g)(7) Application access patient selection
- 170.315(g)(8) Application access data category request
- 170.315(g)(9) Application access all data request
- 170.315(h)(1) Direct Project

The measurement/metric elements noted for each criterion:

- Associated Certification Criteria
- Description of the Measurement/Metric
- Testing Method(s)/Methodology(ies)
- Justification for the Selected Measurement/Metric
- Care Setting(s)
- Expected Outcomes

Note: The elements for each measurement/metric are cited under the individual measures.



Measures Used In Overall Approach

C-CDA exchange via Direct Messaging

Associated Certification Criteria	170.315(b)(1) Transitions of Care
Description of the	We will track send and receive transmissions
Measurement/Metric	errors utilizing log files and reports from
	MDToolbox, our third-party Direct Messaging
	vendor.
	Measurement(s)/Metric(s):
	Number of CCDs created
	Number of CCDs successfully sent
	Rate of errors when CCDs are received
	Rate of errors when CCDs are viewed
Testing Method(s)/Methodology(ies)	Log Files / Reports; Use-case
Justification for the Selected	A review of MDToolbox's direct message
Measurement/Metric	send/receive logs will confirm messages have been
	exchanged. It will also allow the tester to evaluate
	frequency.
Care Setting(s)	PARADIGM [®] EHR is principally marketed to
	healthcare providers in ambulatory care settings
	across various specialties.
Expected Outcomes	Maximum of 4% error rate for each send/receive
	transmission type over a three-month period.



Incorporate reconciled Patient Health Information received via Direct Messaging	
Associated Certification Criteria	170.315(b)(2) - Clinical information reconciliation
	and incorporation
Description of the	When incorporating the patient's health
Measurement/Metric	information, the system should match the CCD and
	the patient automatically. If there is a discrepancy
	with the patient demographic data, the user should
	be able to match the patient manually.
	Measurement(s)/Metric(s);
	Number of successful patient identifications
	Number of errors during incorporation
Testing Method(s)/Methodology(ies)	Polling; Use-case; Visual Inspection
Justification for the Selected	Interviews/Polling of test site participants will let us
Measurement/Metric	know if end-users 1. utilize the functionality and if
	yes, 2. proper patient identification/reconciliation
	occurs.
	The QRS tester may also test this measure using
	test patient data.
Care Setting(s)	PARADIGM [®] EHR is principally marketed to
	healthcare providers in ambulatory care settings
	across various specialties.
Expected Outcomes	Number of client practices utilizing the functionality
	will be greater than or equal to three. Rate of
	successful identification of patient(s) and
	subsequent incorporation of Patient Health
	Information will be greater 95%.



Configure and Create data export summary Associated Certification Criteria 170.315(b)(6) - Data Export Description of the Authorized end-users should be able to configure Measurement/Metric (timeframe, and other needed options) and create, at will, an export summary for patients that meets standards specification. Measurement(s): Number of records extracted from the EHR Number of records exported out of the EHR ٠ Rate of successful validations • Testing Method(s)/Methodology(ies) Polling; Use-case; Role-based testing; Visual Inspection Justification for the Selected Interview/Polling of test site participants will reveal if they 1. utilize the functionality and if yes, 2. they Measurement/Metric are able to configure without incident. We expect this functionality may not be widely used. The QRS tester may also test this measure using test patient data. Tester files will be run through a C-CDA validator. Care Setting(s) PARADIGM[®] EHR is principally marketed to healthcare providers in ambulatory care settings across various specialties. **Expected Outcomes** End-user is able to configure an export summary at any time without subsequent developer assistance. Exported CCDs will successfully validate. Number of records extracted from the EHR will match the

number of exported CCDs.

than 95%.

Successful validation rate is expected to be greater



Generate and Export Clinical Data Summary	
Associated Certification Criteria	170.315(b)(7) - Security Tags – Summary of Care Send
Description of the	A generated summary of care record will be
Measurement/Metric	inspected for conformance. We will evaluate the
	number of CCDs generated with and without errors.
	Measurement(s)/Metric(s):
	Number of C-CDAs successfully validated
	Number of C-CDAs with validation errors
	Rate of successful validations
Testing Method(s)/Methodology(ies)	Visual Inspection; Use-case; Sandbox
Justification for the Selected	We expect this functionality may not be widely used.
Measurement/Metric	The QRS tester may also test this measure using test
	patient data. All generated test files will be run
	through a C-CDA validator.
Care Setting(s)	PARADIGM [®] EHR is principally marketed to
	healthcare providers in ambulatory care settings
	across various specialties.
Expected Outcomes	Summary record will successfully validate via C-CDA
	validator. CCDs with errors will not pass C-CDA
	validation. Rates for both will be reported.
	Successful validation rate is expected to be greater
	than 95%.



Receive and Import Clinical Data Summary	
Associated Certification Criteria	170.315(b)(8) - Security Tags – Summary of Care Receive
Description of the Measurement/Metric	 Visual inspection by the tester will confirm a human readable summary of care record was received. Tester will also verify document(s) are tagged restricted or not, and confirm only authorized users have access. Will we evaluate the number of CCDs imported with and without errors. Measurement(s)/Metric(s): Number of C-CDAs successfully validated Number of C-CDAs with validation errors Rate of successful validations
Testing Method(s)/Methodology(ies)	Visual Inspection; Use-case; Role-based testing
Justification for the Selected Measurement/Metric	Visual inspection will confirm a human readable summary of care record was received. Utilizing role-based scenario will verify only an authorized user can perform certain tasks. We expect this functionality may not be widely used. The QRS tester may also test this measure using test patient data. The generated test files will be run through a C-CDA validator.
Care Setting(s)	PARADIGM [®] EHR is principally marketed to healthcare providers in ambulatory care settings across various specialties.
Expected Outcomes	A received summary of care record passes validation and can only be manipulated by an authorized user. CCDs with errors will not pass C-CDA validation. Rates for both will be reported. Successful validation rate is expected to be greater than 95%.



Collection and Reporting of individual CQN	ls
Associated Certification Criteria	Clinical quality measures (CQMs)
	170.315(c)(1) - record and export
	170.315(c)(2) - import and calculate
	170.315(c)(3) – report
Description of the	Evaluation of the number of measures exported,
Measurement/Metric	calculated accurately, and reported via QRDA III
	Measurement(s)/Metric(s):
	Number of successful calculations
	 Number of calculations with errors
	Rate of calculation errors
	 Number of successful validations
	 Number of validations with errors
	Rate of validation errors
Testing Method(s)/Methodology(ies)	Log Files / Reports; Polling; Visual Inspection
Justification for the Selected	We will spot check patients cited in the reports
Measurement/Metric	and compare reported numbers against data
	entered in the EHR to ensure calculations are
	accurate. Test site polling will provide insight into
	any challenges of data entry vital for CQM
	calculation.
	We will also verify successful generation of the
	QRDA III file and validate via a QRDA validator.
Care Setting(s)	PARADIGM [®] EHR is principally marketed to
	healthcare providers in ambulatory care settings
	across various specialties.
Expected Outcomes	Successful CQM calculation and export of a
	validated QRDA III file. Error rate for calculations
	and validations will not exceed 1%.



Provide patients access to Patient Health Information sent to the Portal	
Associated Certification Criteria	170.315(e)(1) - View, download, and transmit to 3rd
	party
Description of the	Evaluates number of patients who have portal accounts
Measurement/Metric	and have been provided access over a period of time.
	Measurement(s)/Metric(s):
	Number of patients who access their portal account
Testing Method(s)/Methodology(ies)	Log Files / Reports; Visual Inspection; Polling; Use-case
Justification for the Selected	Review of log files and visual inspection of uploaded
Measurement/Metric	and downloaded files will allow testers to track
	frequency and compliance.
	Test site interviews will provide insight regarding their
	usage and their patient's comfort of use. Inspection of
	files will substantiate conformity.
Care Setting(s)	PARADIGM [®] EHR is principally marketed to healthcare
	providers in ambulatory care settings across various
	specialties.
	Testing sites have a portal connection.
Expected Outcomes	End-user will log into the patient portal and is able to
	view, download and/or transmit files made available to
	them. Number of patients who accessed their portal
	account over a three-month period.



Export Immunization Records

Associated Certification Criteria	170.315(f)(1) - Transmission to immunization registries
Description of the	We will verify immunizations recorded in the EHR are
Measurement/Metric	successfully sent to a public health agency.
	Measurement(s)/Metric(s):
	Number of generated HL7 messages
	Number of successfully transmitted HL7 messages
	Rate of successful transmissions
Testing Method(s)/Methodology(ies)	Log Files / Reports; Use-case; Sandbox
Justification for the Selected	We will be able to verify data recorded in the EHR
Measurement/Metric	matches data exported to the public health agency in
	the HL7 message.
	We expect this functionality may not be widely used.
	Consequently, we may utilize our sandbox environment
	for testing. HL7 will be run through an HL7 validator to
	ensure conformance to standards.
	HL7 messages will be checked against the receiving
	registry's records.
Care Setting(s)	PARADIGM [®] EHR is principally marketed to healthcare
	providers in ambulatory care settings across various
	specialties.
	Testing sites should have a connection to their state
	-
Expected Outcomes	registry.
Expected Outcomes	HL7 messages meeting standard specifications are
	subsequently created and successfully sent to a public
	health agency.
	Total number of messages sent match registry records.
	Successful transmission rate is expected to be greater
	than 95%.



Export Syndromic Surveillance Records

Associated Certification Criteria	170.315(f)(2) - Transmission to public health agencies
Associated certification enteria	— syndromic surveillance
Description of the	We will verify syndromic information recorded in the
Measurement/Metric	EHR is successfully sent to a public health agency.
	Measurement(s)/Metric(s):
	 Number of generated HL7 messages
	 Number of generated fill/ messages Number of successfully transmitted HL7 messages
	 Rate of successful transmissions
Testing Method(s)/Methodology(ies)	Log Files / Reports; Use-case; Sandbox
Justification for the Selected	
	We will be able to verify data recorded in the EHR
Measurement/Metric	matches data exported to the public health agency in
	the HL7 message.
	We expect this functionality may not be widely used.
	Consequently, we may utilize our sandbox environment for testing. HL7 will be run through an HL7 validator to
	ensure conformance to standards.
	HL7 messages will be checked against the receiving
	registry's records.
Care Setting(s)	PARADIGM [®] EHR is principally marketed to healthcare
Care Setting(s)	providers in ambulatory care settings across various
	specialties.
	Testing sites should have a connection to their state
	registry.
Expected Outcomes	HL7 messages meeting standard specifications are
Expected Outcomes	subsequently created and successfully sent to a public
	health agency.
	Total number of messages sent match registry records.
	Successful transmission rate is expected to be greater
	than 95%.
	liidii 5570.



Correctly identify a Patient based on query parameters

Associated Certification Criteria	170.315(g)(7) - Application access — patient selection
Description of the	Tester will evaluate full-circle process for receiving a
Measurement/Metric	request (API call) and returning correct and complete
, , , , , , , , , , , , , , , , , , ,	data.
	Measurement(s)/Metric(s):
	Number of successful API requests
	Number of API request errors
	Rate of API request errors
Testing Method(s)/Methodology(ies)	Log Files / Reports; Visual Inspection; Use-case
Justification for the Selected	Review of log files and visual inspection of API requests
Measurement/Metric	and responses will allow tester to validate data for
	completeness and correctness.
Care Setting(s)	PARADIGM [®] EHR is principally marketed to healthcare
	providers in ambulatory care settings across various
	specialties.
Expected Outcomes	The API request will return a C-CDA R2.1 Validated CCD
	containing requests for patient data for specified dates
	and/or within specified date range(s).
	Maximum of 4% error rate for API requests over a
	three-month period.

Respond to requests for Patient Data for specific parameters

Associated Certification Criteria	170.315(g)(8) - Application access — data category	
	request	
Description of the	Tester will evaluate full-circle process for receiving a	
Measurement/Metric	request (API call) and returning correct and complete	
	data.	
	Measurement(s)/Metric(s):	
	Number of successful API requests	
	Number of API request errors	
	Rate of API request errors	
Testing Method(s)/Methodology(ies)	Log Files / Reports; Visual Inspection; Use-case	
Justification for the Selected	Review of log files and visual inspection of API requests	
Measurement/Metric	and responses will allow tester to validate data for	
	completeness and correctness.	
Care Setting(s)	PARADIGM [®] EHR is principally marketed to healthcare	
	providers in ambulatory care settings across various	
	specialties.	
Expected Outcomes	The API request will return a C-CDA R2.1 Validated CCD	
	containing requests for patient data for specified dates	
	and/or within specified date range(s).	
	Maximum of 4% error rate for API requests over a three-	
	month period.	



Respond to requests for Patient Data for all data categories		
Associated Certification Criteria	170.315(g)(9) - Application access – all data request	
Description of the	Tester will evaluate full-circle process for receiving a	
Measurement/Metric	request (API call) and returning correct and complete	
	data.	
	Measurement(s)/Metric(s):	
	 Number of successful API requests 	
	Number of API request errors	
	Rate of API request errors	
Testing Method(s)/Methodology(ies)	Log Files / Reports; Visual Inspection; Use-case	
Justification for the Selected	Review of log files and visual inspection of API requests	
Measurement/Metric	and responses will allow tester to validate data for	
	completeness and correctness.	
Care Setting(s)	PARADIGM [®] EHR is principally marketed to healthcare	
	providers in ambulatory care settings across various	
	specialties.	
Expected Outcomes	The API request will return a C-CDA R2.1 Validated CCD	
	containing patient data for all data categories	
	requested.	
	Maximum of 4% error rate for API requests over a three-	
	month period.	

Send and Receive Secure Health Information

Associated Certification Criteria	170.315(h)(1) - Direct Project	
Description of the	Verify messages are wrapped using MDToolbox, our	
Measurement/Metric	third-party Direct Messaging vendor.	
	Measurement(s)/Metric(s):	
	Number of successful transmissions	
	 Number of transmissions with error(s) 	
Testing Method(s)/Methodology(ies)	Logs Files / Reports; Visual Inspection	
Justification for the Selected	Logs will confirm messages meet expected outcomes.	
Measurement/Metric		
Care Setting(s)	PARADIGM [®] EHR is principally marketed to healthcare	
	providers in ambulatory care settings across various	
	specialties.	
Expected Outcomes	Functionality supports interoperability and exchange for	
	sending and receiving messages consistent with the	
	Direct Project standards and protocols.	
	We expect a maximum of 4% transmission error rate	
	over a three-month period.	



Schedule of Key Milestones

Key Milestones	Date/Timeframe
Identify internal testing team	Q4, 2021
Identify viable Real World Testing client test sites	
Contact client sites identified as viable test sites	Q1, 2022
regarding participation in QRS' Real World Testing	
Conduct preparative calls with client testing sites	Q1, 2022
Data collection as blueprinted in the plan	Late Q1 – End Q3, 2022
Follow-up with client testing sites	Q1 – Q3, 2022
Aggregate collected test data	Early Q4, 2022
Analyze test results and generate report	Q4, 2022
Finalize Real World Testing report	January, 2023
Submit Real World Testing report to Drummond	February, 2023



Attestation

This Real World Testing Plan is complete with all required elements, including measures that address all certification criteria and care settings. All information in this plan is up to date and fully addresses the health IT developer's Real World Testing requirements.

Authorized Representative Name:Janice YoungAuthorized Representative Email:jyoung@qrshs.comAuthorized Representative Phone:800.251.3188Authorized Representative Signature:100.251.3188

Date: 11.11.21